

INDEX MAPS.

T. 9N, R. 4E. 2<sup>nd</sup> Mer.

	430		430		430		429		429		429
432	6	450	5	448	4	444	3	440	2	436	1 429
	<del>450</del>		<del>450</del>		<del>448</del>		<del>444</del>		<del>440</del>		<del>436</del>
432	7	453	8	447	9	443	10	439	11	435	12 428
	<del>452</del>		<del>452</del>		<del>447</del>		<del>443</del>		<del>439</del>		<del>435</del>
431	18	452	17	447	16	443	15	439	14	434	13 428
	<del>451</del>		<del>451</del>		<del>446</del>		<del>442</del>		<del>438</del>		<del>434</del>
431	19	450	20	446	21	442	22	438	23	434	24 428
	<del>450</del>		<del>450</del>		<del>446</del>		<del>442</del>		<del>438</del>		<del>433</del>
431	30	449	29	445	28	441	27	437	26	433	25 427
	<del>449</del>		<del>449</del>		<del>445</del>		<del>441</del>		<del>437</del>		<del>433</del>
431	31	448	32	445	33	441	34	436	35	432	36 427
	<del>425</del>		<del>425-426</del>		<del>425-426</del>		<del>425-426</del>		<del>425-426</del>		<del>425-427</del>

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township N. 9 North, Range N. 4 East 2. Mer. Indiana

### South Boundary

West On Rand. S. boundary of Sec. 36, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 35 & 36, T9 N. R4 E.  
 Very broken land, timber Oak, Beech &c

West On Rand. S. boundary of Sec. 35, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 34 & 35, T9 N. R4 E.  
 Broken land, timber Oak, Beech & Hickory

West On Rand. S. boundary of Sec. 34, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 33 & 34, T9 N. R4 E.  
 Over rolling land, timber Oak Beech &c.

West On Rand. S. boundary of Sec. 33, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 48.91 a Brook 8 ch. wide Course South  
 80.00 Set temp. post Cor. to Sec. 32 & 33, T9 N. R4 E.  
 Over broken land, timber Oak &c. undergr. briars

West On Rand. S. boundary of Sec. 32, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 31 & 32, T9 N. R4 E.  
 Over broken land timber Oak &c. undergrowth briars

West On Random S. boundary of Sec. 31, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 76.50 Intersected the N. & S. line 235 ch. N. of post  
 Over broken land, timber Oak &c. undergrowth briars  
 June 6<sup>th</sup> 1819

East On true line S. boundary of Sec. 31, T9 N. R4 E.  
 36.50 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. bears N 73 E 7 ch. dist. 8.

## T9 N R4 E 2. Mer. Indiana

76.50 a W. Oak 20 in. dia. bears S 57 W 9 lks. dist. &  
 Set a post Cor. to Sec. 31 & 32, T9 N. R4 E, from which  
 a Beech 6 in. dia. bears N 12 1/2 W 7 lks. dist. &  
 a Do 30 " " " S 5 1/2 W 6 " "

East On true line S. boundary of Sec. 32, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a B. Oak 24 in. dia. bears N 33 E 34 lks. dist. &  
 a Do 20 " " " S 33 W 16 " "  
 81.00 Set a post Cor. to Sec. 32 & 33, T9 N. R4 E, from which  
 a Sugar 10 in. dia. bears S 20 E 10 lks. dist. &  
 a Do 12 " " " N 15 E 28 " "

East On true line S. boundary of Sec. 33, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears N 19 1/2 W 21 lks. dist. &  
 a Do 10 " " " S 32 E 13 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T9 N. R4 E, from which  
 a Gum 15 in. dia. bears N 70 W 25 lks. dist. &  
 a W. Oak 16 " " " S 65 1/2 E 53 " "

East On true line S. boundary of Sec. 34, T9 N. R4 E.  
 40.00 Set the q. Sec. post from which  
 a W. Oak 40 in. dia. bears S 43 E 3 lks. dist. &  
 a Gum 20 " " " N 18 W 45 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T9 N. R4 E, from which  
 a W. Oak 18 in. dia. bears N 64 W 23 lks. dist. &  
 a Hickory 4 " " " S 72 E 2 " "

East On true line S. boundary of Sec. 35, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a Maple 8 in. dia. bears S 3 E 13 lks. dist. &  
 a Beech 12 " " " N 11 W 24 " "  
 80.00 Set a post Cor. to Sec. 35 & 36, T9 N. R4 E, from which  
 a Beech 13 in. dia. bears N 48 E 13 lks. dist. &  
 a Do 9 " " " S 22 E 22 " "

Comp

T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

East On true line S. boundary of Sec. 36, T9 N. R4 E.  
 40.00 Let the g. Sec. post, from which  
     a Hickory 7 in. dia. bran N 13 E 14 lks. dist. of  
     a Maple 7 " " " S 2 W 25 " "  
 80.00 to Corner to Township, N. 8 & 9 North,  
 — Range, N. 4 & 5 East 2<sup>nd</sup> Mer.

## East Boundary

North On E. boundary of Sec. 36, T9 N. R4 E.  
 4.80 a Branch 8 lks. wide Course S. E.  
 15.14 a Beech 24 in. dia.  
 40.00 Let the g. Sec. post, from which  
     a Ches. Oak 10 in. dia. bran S 58 W 20 lks. dist. of  
     a Gum 14 " " " N 58 E 12 " "  
 47.25 a Hickory 18 " "  
 55.10 a Branch 6 lks. wide Course S. E.  
 65.46 a Hickory 24 in. dia.  
 80.00 Let a post Cor. to Sec. 25 & 36, from which  
     a Hickory 9 in. dia. bran N 71 W 6 lks. dist. of  
     a W. Oak 48 " " " S 34 W 14 " "  
 Sand rolling, timber Beech, Hickory, Poplar &c  
 under <sup>the</sup> Logwood.

North On E. boundary of Sec. 25, T9 N. R4 E.  
 23.00 a Branch 8 lks. wide Course S. E.  
 23.40 an Elm 24 in. dia.  
 40.00 Let the g. Sec. post, from which  
     a Beech 15 in. dia. bran N 51 W 20 lks. dist. of  
     a Elm 18 " " " S 52 E 22 " "  
 — 90 a W. Oak 36 " "  
 72.75 a W. Oak 36 " "  
 80.00 Let a post Cor. to Sec. 24 & 25, from which  
     a W. Oak 18 in. dia. bran S 18 W 21 lks. dist. of  
     a Ches. Oak 6 " " " N 11 1/2 E 10 " "  
 Over rolling land, timber Beech & Oak  
 under <sup>the</sup> Logwood briars &c.



## T9N, R4E, T. Mer. Indiana

North On E. boundary of Sec. 24, T9N, R4E.

31.70 a Creek 50 lks wide Course S.E.

40.00 Set the q. Sec. post, from which  
a Beech 9 in. dia. bray N 64 W 12 lks. dist. of  
a Elm 24 " " " N 19 E 8 " "

62.75 a Beech 20 " "

80.00 Set a post Cor. to Sec. 13 of 24, from which  
a W. Oak 20 in. dia. bray S 55 W 8 lks. dist. of  
a Dogwood 6 " " " S 35 W 8 " "  
Over rolling land timber Beech, Oak &c.  
under Ironwood &c. Soil good

North On E. boundary of Sec. 13, T9N, R4E.

16.14 a Branch 8 lks. wide Course S.E.

32.75 a Hickory 14 in. dia.

40.00 Set the q. Sec. post, from which  
an Ironwood 3 in. dia. bray S 60 W 6 lks. dist. of  
a Beech 7 " " " S 61 E 20 " "

53.70 a Creek 30 lks. wide Course S.E.

60.00 a Beech 18 in. dia.

80.00 Set a post Cor. to Sec. 12 of 13, from which  
a Beech 6 in. dia. bray S 23 W 13 lks. dist. of  
a Do 27 " " " S 29 E " "  
1<sup>st</sup> 1/2 mile level land - last 1/2 broken, timber  
Beech & Oak, under Ironwood

North On E. boundary of Sec. 12, T9N, R4E.

16.23 a W. Oak 40 in. dia.

27.05 a Creek 30 lks. wide Course S.E.

40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bray S 57 1/2 W 9 lks. dist. of  
a Do 30 " " " S 15 W 13 " "

63.12 a W. Oak 15 " "

80.00 Set a post Cor. to Sec. 1 of 12, from which  
a Beech 14 in. dia. bray S 24 1/2 W 5 lks. dist. of  
a W. Oak 36 " " " S 17 E 44 " "

# T9 North, R4 E. 2<sup>d</sup> Mer. Indiana

This mile over broken land, timber Oak, Beech,  
 &c. underg<sup>th</sup> Oak, Sassafras, Greenbrier, &c. Soil good.

North On E. boundary of Sec. 1, T9 N. R4 E.

1.42 a Red Oak 30 in. dia.

16.80 a Branch 6 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which  
 a Dogwood 8 in. dia. bear S 31 W 17 lks. dist. of  
 a Do 5 " " " N 36 E 18 " "

44.52 a W. Oak 30 in. dia.

79.17 Let a post Cor. to Townships N<sup>o</sup> 9 of 10 North  
 Ranges 4 & 5 East from which  
 a Beech 12 in. dia. bear N 28 E 18 lks. dist. of  
 a Do 8 " " " S 21 E 18 " "

## North Boundary

West On S. boundary of Sec. 36, T10 N. R4 E.

24.13 a Brook 14 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which  
 a Sugar 12 in. dia. bear S 51 W 20 lks. dist. of  
 a Hickory 14 " " " N 60 E 20 " "

80.00 Let a post Cor. to Sec. 35 & 36, T10 N. R4 E, from which  
 a Beech 7 in. dia. bear S 79 W 24 lks. dist. of  
 a Do 8 " " " S 89 E 35 " "  
 Over broken land, timber Beech, Oak, Hickory &c.

West On S. boundary of Sec. 35, T10 N. R4 E.

40.00 Let the q. Sec. post, from which  
 a Beech 12 in. dia. bear N 75 E 29 lks. dist. of  
 a Do 7 " " " N 46 W 25 " "

80.00 Let a post Cor. to Sec. 34 & 35, T10 N. R4 E, from which  
 a Beech 20 in. dia. bear N 53 E 24 lks. dist. of  
 a Poplar 40 " " " N 82 W 37 " "  
 Over broken land Oak, Beech &c.

West On S. boundary of Sec. 34, T10 N. R4 E.

T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set the q. Sec. post, from which  
 a Sugar 12 in. dia. beam S79 E 6 lks. dist. of  
 a Beech 6 " " " N28 W 14 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T10 N. R4 E. from which  
 a Dogwood 6 in. dia. beam S73 E 11 lks. dist. of  
 an Elm 12 " " " N46 W 9 " "  
 Over broken land, timber Oak, Beech &c.

Met On S. boundary of Sec. 33, T10 N. R4 E  
 7.00 a creek 20 lks. wide Course S.W.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 24 in. dia. beam S50 E 38 lks. dist. of  
 a Beech 14 " " " N53 W 20 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T10 N. R4 E. from which  
 a Beech 13 in. dia. beam S52 E 13 lks. dist. of  
 a Maple 8 " " " N26 W 21 " "  
 Over very broken land, timber Oak, Beech &c.

Met On S. boundary of Sec. 32, T10 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a Hickory 12 in. dia. beam N49 E 4 lks. dist. of  
 a W. Oak 6 " " " S34 W 10 " "  
 64.39 a Creek 50 lks. wide Course N.W.  
 80.00 Set a post Cor. to Sec. 31 & 32, T10 N. R4 E. from which  
 a W. Oak 24 in. dia. beam S69 E, 6 lks. dist. of  
 a Dogwood 6 " " " S77 W 16 " "  
 Over very broken land, timber Oak, hickory &c.

Met On S. boundary of Sec. 31, T10 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 an Elmwood 7 in. dia. beam S88 E 15 lks. dist. of  
 a Beech 12 " " " N83 W 9 " "  
 73.13 Intersected the Range line at the Corner of  
 Townships 9 & 10 N. Range 3 & 4 East  
 Over very broken land, timber Oak & Hickory

T9 N R4 E 2<sup>nd</sup> Mer. Indiana

West Boundary var. 7.00 E.  
 North On E. boundary of Sec. 36, T9 N. R3 E.  
 23.18 an Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 14 in. dia. bear N43 E 9 lks. dist. of  
     a do 7 " " " N63 W 19 " "  
 66.50 a Brook 10 lks. wide Course West  
 80.00 Set a post Cor. to Sec. 25 & 36, T9 N. R3 E, from which  
     a Poplar 20 in. dia. bear N81 E 9 lks. dist.  
     no other near.  
 Over very broken land, Oak &c. undg<sup>d</sup> Oak.

---

North On E. boundary of Sec. 25, T9 N. R3 E.  
 7.50 a Brook 15 lks. wide Course West  
 40.00 Set the q. Sec. post, from which  
     a Beech 10 in. dia. bear N42 E 20 lks. dist. of  
     a do 8 " " " N41 E 16 " "  
 63.75 a R. Oak 18 " "  
 80.00 Set a post Cor. to Sec. 24 & 25, T9 N. R3 E, from which  
     an Oak 20 in. dia. bear N83 W 10 lks. dist. of  
     a do — " " " N69 E 20 " "  
 Over brushy broken land timber Oak &c.

---

North On E. boundary of Sec. 24, T9 N. R3 E.  
 4.90 a Creek 20 lks. dist wide Course West  
 40.00 Set the q. Sec. post, from which  
     a Sugar 12 in. dia. bear N84 W 7 lks. dist. of  
     a Poplar 36 " " " East 28 " "  
 80.00 Set a post Cor. to Sec. 13 & 24, T9 N. R3 E, from which  
     a W. Oak 24 in. dia. bear N45 W 21 lks. dist. of  
     a Hickory 16 " " " N71 E 12 " "  
 Over brushy broken land, timber Oak &c.

---

North On E. boundary of Sec. 43, T9 N. R3 E.  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 18 in. dia. bear S77 W 27 lks. dist. of



T9 N. R4 E. 2<sup>d</sup> Mer. Indiana

a Beech 12 in. dia. brang N 33 E, 32 lks. dist.  
 80.00 Set a post Cor. to Sec. 12 of 13, T9 N. R3 E, from which  
 a Beech 10 in. dia. brang S 87 E 18 lks. dist. of  
 a Do 14 " " " N 70 W 21 " "  
 Over brushy broken land timber Oak &c.

North On E. boundary of Sec. 12, T9 N. R3 E.

13.50 a Brook 10 lks. wide Course West  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. brang S 73 E 15 lks. dist. of  
 a Dogwood 4 " " " S 3 E 4 " "  
 80.00 Set a post Cor. to Sec. 1 of 12, T9 N. R3 E, from which  
 a Beech 5 in. dia. brang N 67 E 7 lks. dist. of  
 a H. Oak 20 " " " S 55 E 15 " "  
 Over Mountains, timber Oak &c.

North On E. boundary of Sec. 1, T9 N. R3 E.

32.70 a Creek 150 lks. wide Course N.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 18 in. dia. brang S 10 E 28 lks. dist. of  
 an Elm 20 " " " N 23 W 34 " "  
 52.60 a Sugar 15 " " in the line  
 65.00 a Creek 150 lks. wide Course S. E.  
 80.00 Set a post Cor. to Townships 9 of 10 North  
 Ranges 3 of 4 East, from which  
 a Beech 6 in. dia. brang S 31 W 14 lks. dist. of  
 a Sugar 10 " " " S 48 E 5 " "  
 First 1/2 mile over Mountain - last 1/2  
 Creek bottom low ground, good soil

June 5<sup>th</sup> 1819

Surveyed by John McDonald, M.S.

Subdivision. Aug. 5. 1819. var. 6. 30. 1/2 E.

North Between Sec. 35 of 36, T9 N. R4 E.

20.96 a Chest. Oak 26 in. dia. in the line  
 40.00 Set the q. Sec. post, from which



T9 N R4 E 2<sup>d</sup> Mer. Indiana

a Chest. Oak 10 in. dia. bray N 8 E 20 lks. dist. of  
 a Do 15 " " " S 44 E 16 " "  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Chest. Oak 24 in. dia. bray N 11 E 11 lks. dist. of  
 a Do 20 " " " S 73 W 18 " "  
 Sand hilly, timber Chest. Oak, Hickory &c.  
 undg.<sup>th</sup> Ironw. Dogw. N. Oak, Beech &c. 3<sup>d</sup> rate

East On Rand. between Sec. 25 & 36, T9 N. R4 E.

40.00 Set temp. q. Sec. post

79.90 Intersected the E. boundary 17 1/2 lks. S. of post  
 Sand hilly, timber Beech, N. Chest. Oak, undg.  
 Ironw. Dogw. N. Oak, Beech &c. 3<sup>d</sup> rate

West Corrected between Sec. 25 & 36, T9 N. R4 E.

3.25 a Hickory 20 in. dia. in the line

39.95 Set q. Sec. post at average dist. from which  
 a Chest. Oak 6 in. dia. bray S 83 W 17 lks. dist. of  
 a Hickory 8 " " " S 86 E 25 " "

79.90 to Sec. Corner

North Between Sec. 25 & 26, T9 N. R4 E.

40.00 Set the q. Sec. post, from which

a Hickory 12 in. dia. bray N 79 W 28 lks. dist. of  
 a Sassafras 4 " " " S 2 1/2 W 23 " "

44.40 a N. Oak 20 " " in the line

47.50 a Creek 20 lks. wide Course East

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
 a Sugar 12 in. dia. bray S 84 E 19 lks. dist. of  
 a C. Oak 24 " " " N 41 W 33 " "

Sand hilly, timber Beech, N. Chest. Oak,  
 Gum &c. undg.<sup>th</sup> Dogwood, Ironw. Hazel &c. 3<sup>d</sup> rate

East On Rand. between Sec. 24 & 25, T9 N. R4 E.

35.00 a Creek 20 lks. wide Course North

40.00 Set temp. q. Sec. post,

T9 N. R4 E. 2<sup>d</sup>. Mer. Indiana

79.94 Intersected the E. boundary 275 lks. S. of post  
Land hilly, timber W. & E. Chest. Oak, Beech,  
Gum, undg.<sup>th</sup> Dogw, Ironw. W. Oak, hick etc. 3<sup>d</sup> rate

West Corrected between Sec. 24 & 25, T9 N. R4 E.

8.46 a Chest. Oak 18 in. dia. in the line

39.97 Set q. Sec. post at average dist. from which  
a Beech 12 in. dia. bears S 30 W 14 lks. dist. of  
an Ash 18 " " " N 57 E 22 " "

79.94 to Sec. Corner. Sept. 6. 1819

North Between Sec. 23 & 24, T9 N. R4 E.

36.80 a B. Oak 20 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a W. Oak 14 in. dia. bears N 10 E 19 lks. dist. &  
a Dogwood 4 " " " S 46 E 6 1/2 " "

52.90 a Sugar 14 " " in the line

53.50 a Creek 8 lks. wide Course East

80.00 Set a post Corner to Sec. 13, 14, 23 & 24, from which  
a B. Oak 24 in. dia. bears N 61 E 21 lks. dist. &  
a Dogwood 4 " " " N 58 W 17 " "

Land hilly timber W. & B. Oak Hickory Beech undery<sup>th</sup>  
Dog. Ironwood W. Oak. 3<sup>d</sup> rate

East On Random between Sec. 13 & 24, T9 N. R4 E.

40.00 Set temp. q. Sec. post

79.80 Intersected the E. boundary 300 lks. South of post  
Land hilly W. & E. Oak timber undery<sup>th</sup> same

West Corrected between Sec. 13 & 24, T9 N. R4 E.

39.90 Set q. Sec. post at average dist. from which  
a Hickory 4 in. dia. bears S 34 W 3 lks. dist. &  
a Dogwood 3 " " " N 74 E 9 " "

79.80 to Section Corner

North Between Sec. 13 & 14, T9 N. R4 E.

T9 N R4 E 2<sup>nd</sup> Mer. Indiana

- 31.90 a W. Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Ch. Oak 18 in. dia. bears N 38 E 22 lks. dist. &  
 a Do 20 " " " S 25 1/2 W 40 " "  
 55.00 a Creek 15 lks. wide Course N 50 E.  
 58.00 a Do 10 " " " East  
 69.80 a W. Oak 24 in. dia. in the line  
 80.00 Set a post Cor. to Secs. 11, 12, 13, 14, from which  
 a Beech 10 in. dia. bears N 35 E 10 lks. dist. &  
 a W. Oak 26 " " " S 35 W 37 " "  
 Land rolling timber W. Oak B. Oak Beech Hickory Ironw?  
 Dogw? Sasaprap undergrowth 3<sup>rd</sup> rate.

- East On Prandome between Secs. 12 & 13, T9 N, R4 E.  
 40.00 Set temp. q. Sec. post  
 79.76 Intersected the E. boundary 308 lks. South of post  
 Land Hilly broken and poor timber Beech W. B. Oak  
 Hickory Gum — undergrowth Dogw? Iron? W. Oak Beech &c.

- West Corrected between Secs. 12 & 13, T9 N, R4 E.  
 39.88 Set q. Sec. post at average dist. from which  
 a Beech 3 in. dia. bears N 69 W 11 lks. dist. &  
 a Dogwood 6 " " " S 70 E 24 " "  
 79.76 To Section Corner

- North Between Secs. 11 & 12, T9 N, R4 E.  
 7.84 a W. Oak 14 in. dia. in the line  
 32.50 a Do 24 " " " " "  
 40.00 Set the q. Sec. post, from which  
 a Hickory 15 in. dia. bears N 27 W 15 lks. dist. &  
 a Maple 12 " " " S 8 E 12 " "  
 57.00 a Creek 15 lks. wide Course East  
 64.00 a B. Oak 36 in. dia. in the line  
 65.50 a Creek 10 lks. wide Course S E.  
 80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which  
 a Beech 14 in. dia. bears N 51 1/2 W 14 lks. dist. &

S 9 N R 4 E, T<sup>n</sup>. Mer. Indiana

a Beech 18 in. dia. bears S 22 $\frac{1}{2}$  E 26 lks. dist.  
 Land Hilly last  $\frac{1}{2}$  mile rolling timber 1 Beech W. Oak  
 B. Oak R. Oak Hickory Gum Dogwood Sassafras 4c. 3<sup>d</sup>. rate

East On Random between Sec<sup>s</sup>. 1 & 2, S 9 N, R 4 E,  
 20.00 a Creek 5 lks. wide Course South  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.90 Intersected the E. boundary 33 $\frac{1}{2}$  lks. South of post  
 Land broken Hilly & poor timber W. & B. Oak 1 Beech Gum  
 Underg<sup>r</sup>. Iron? Log? Hickory W. Oak Gum briars 3<sup>d</sup>. rate

West Corrected between Sec<sup>s</sup>. 1 & 2, S 9 N, R 4 E,  
 14.50 a Hickory 12 in. dia. in the line  
 39.95 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Gum 18 in. dia. bears S 38 $\frac{1}{2}$  E 20 lks. dist. 4  
 a Dogwood 3 " " " S 42 $\frac{1}{2}$  W 4 " "  
 79.90 To Section Corner

North Between Sec<sup>s</sup>. 1 & 2, S 9 N, R 4 E,  
 6.85 a B. Oak 24 in. dia. in the line  
 21.90 a Do 26 " " " "  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in dia. bears N 4 $\frac{1}{2}$  W 29 lks. dist. 4  
 a Do 8 " " " S 46 $\frac{1}{2}$  W 11 " "  
 65.40 a W. Oak 36 " " in the line  
 82.30 Intersected the N. boundary 87 lks. East of post  
 Set a post Cor. To Sec<sup>s</sup>. 1 & 2, from which  
 a Poplar 13 in. dia. bears N 42 $\frac{1}{2}$  W 23 lks. dist. 4  
 a Beech 13 " " " S 69 E 11 " "  
 Land Hilly timber W. B. & R. Oak Hickory poplar  
 Beech & underg<sup>r</sup>. W. Oak B. Oak Hickory Beech 4c. 3<sup>d</sup>. rate

North Between Sec<sup>s</sup>. 34 & 35, S 9 N, R 4 E. Sept. 7<sup>th</sup> 1819  
 8.50 a B. Oak 24 in. dia. in the line  
 28.46 a Do 20 " " " "  
 40.00 Set the q<sup>r</sup>. Sec. post, from which



T9 N R4 E. 2<sup>nd</sup> Mer. Indiana

- a Beech 10 in. dia. bears S 77 E 4 lks. dist. 4  
 a do 13 " " " N 76 W 25 " "  
 74.15 a W. Oak 24 " " in the line  
 80.00 Set a post Cor. To Secs. 26, 27, 34, 4, 35, from which  
 a P. Oak 14 in. dia. bears N 43 W 10 lks. dist. 4  
 a Dog? 6 " " " S 49 E 25 " "  
 Land broken high and steep hills, timber Beech W. & B.  
 Oak Hickory undergrowth Dog? Iron? Sassafras? Beech? 3. note

- East On Random between Secs. 26 & 35, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 44.50 a Creek 20 lks. wide Course N.E.  
 80.00 Intersected the N. & S. line 11 lks. North of post.  
 Land Hilly some little bottom on the timber W. Oak  
 B. & Chut. Oak Gum Beech & under? Dog? Iron? Beech? 3. note

- West Corrected between Secs. 26 & 35, T9 N. R4 E.  
 40.03 Set q. Sec. post at average dist. from which  
 a Gum 7 in. dia. bears N 43 W 20 lks. dist. 4  
 a W. Oak 20 " " " S 79 E 24 1/2 " "  
 80.06 To Section Corner

- North Between Secs. 26 & 27, T9 N. R4 E.  
 18.40 a Poplar 24 in dia. in the line  
 29.30 a P. Oak 24 " " " " "  
 35.00 a Creek 15 lks. wide Course East  
 40.00 Set the q. Sec. post from which  
 a W. Oak 18 in. dia. bears North 1 lks. dist. 4  
 a do 12 " " " S 53 W 37 " "  
 58.35 a Poplar 24 " " in the line  
 80.00 Set a post Cor. To Secs. 22, 23, 26 & 27, from which  
 a Beech 20 in. dia. bears N 49 W 27 lks. dist. 4  
 a do 12 " " " S 78 E 30 " "  
 Land very Hilly Steep & High timber W. & B. Oak Hickory  
 Beech Gum &c. undergrowth Ironwood Dogwood Beech 3. note



# Sg. N. R. 4 E. 2<sup>d</sup>. Mer. Indiana

East On Random between Sec. 23 & 26, Sg. N. R. 4 E.  
 40.00 Set temp. q. Sec. post  
 51.50 a Creek 20 lks. wide Course S. 45 E.  
 79.95 Intersected the N. & S. line 23 lks. South of post  
 Land Hilly poor and stony very broken timber W. Oak  
 B. Oak Poplar Beech Gum & undergrowth Dog?  
 Ironwood Beech W. Oak Sassafras 3<sup>d</sup>. rate

West Corrected between Sec. 23 & 26 Sg. N. R. 4 E.  
 39.97<sup>1/2</sup> Set q. Sec. post <sup>at average dist.</sup> from which  
 a Beech 14 in. dia. bears N 44 W 5 lks. dist. &  
 a Do 8 " " " S 28 W 19 " "  
 79.95 To Section Corner

North Between Sec. 22 & 23, Sg. N. R. 4 E.  
 9.00 a Creek 10 lks. wide Course S. 70 E.  
 10.40 an Ash 24 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 12 in. dia. bears N 57 E 36 lks. dist. &  
 a Ch. Oak 14 " " " S 82 W 30 " "  
 45.80 a W. Oak 18 " " in the line  
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which  
 a W. Oak 10 in. dia. bears N 80 W 27 lks. dist. &  
 a Do 18 " " " N 38 E 17 " "  
 Land rough steep hilly and rocky timber W. Oak B.  
 Oak Beech C. Oak - undergrowth Ironwood Dog? W. Oak  
 Beech Sassafras 3<sup>d</sup>. rate -

East On Random between Sec. 14 & 23, Sg. N. R. 4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N. & S. line 7 lks. S. of post  
 Land hilly & poor, timber W. Oak, Beech,  
 Gum &c. und<sup>g</sup>. Ironw. Dogw. W. Oak, Beech,  
 Sassafras, 3<sup>d</sup>. rate. Sept. 5<sup>th</sup> 1819.

West Corrected between Sec. 14 & 23, Sg. N. R. 4 E.

T<sup>9</sup>N R4E2 Mer. Indiana

6.72 a W. Oak 14 in. dia. in the line  
 40.00 Set the gr. Sec. post, from which  
 a W. Oak 15 in. dia. bears N45°W 14 lks. dist. of  
 a No 12 " " " N19°E 21 " "  
 80.00 to Sec. Corner. Sept. 8<sup>th</sup> 1819

North Between Sec. 14 & 15, T<sup>9</sup>N, R4E.  
 21.70 a Beech 12 in. dia. in the line  
 31.90 a W. Oak 18 " " " "  
 40.00 Set the gr. Sec. post, from which  
 a W. Oak 14 in. dia. bears S81°W 14 lks. dist. of  
 a Beech 10 " " " N83°E 14 " "  
 69.50 a W. Oak 24 " " in the line  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Beech 12 in. dia. bears N88°E 20 lks. dist. of  
 a W. Oak 12 " " " S69°W 16 1/2 " "  
 Land hilly, some stony, timber, Chest. <sup>top</sup> W. Oak  
 Beech, Hickory, under gr. Dogwood. Ironwood  
 Hickory, W. Oak, S. State.

East On Land <sup>between</sup> Sec. 14 & 14, T<sup>9</sup>N, R4E.  
 40.00 Set temp. gr. Sec. post  
 79.80 Entered the N. & S. line 81 lks. S. of post  
 Land broken & thickets and very poor timber  
 W. Oak, W. Oak, Hickory &c. under gr. Dogwood.  
 Ironw. Beech, W. Oak, Greenbrier &c. S. State

West Corrected between Sec. 14 & 14, T<sup>9</sup>N, R4E.  
 6.70 a W. Oak 20 in. dia. in the line  
 39.90 Set gr. Sec. post at average dist. from which  
 a Poplar 8 in. dia. bears N68°W 5 lks. dist. of  
 an Ash 8 " " " N73°E 9 " "  
 79.80 to Sec. Corner

North Between Sec. 10 & 11, T<sup>9</sup>N, R4E.  
 5.50 a W. Oak 24 in. dia. stands in the line

T9 N R4 E 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bears N 67 W 4 lks. dist. &  
 a Ch. Oak 14 " " " S 65 E 17 " "
- 45.85 a W. Oak 24 " " in dia. in the line
- 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
 a Beech 13 in. dia. bears N 61 E 33 lks. dist. &  
 a Do 15 " " " S 72 W 12 " "
- Land rough & hilly & rocky, timber W. & B. Oak  
 Gum &c. under. W. Oak, Beech, Ironw. Dogw.  
 & green briar 3<sup>d</sup> rate.

East On Land<sup>m</sup> between Sec. 2 & 11, T9 N R4 E.

- 35.00 a Creek 8 lks. wide Course S. E.
- 40.00 Set temp. q. Sec. post
- 50.00 a Creek 10 lks. wide Course South
- 70.50 a Do. 10 " " " South
- 79.72 Intersected the N. & S. line 80 lks. South of post  
 Land rolling - timber Beech W. & B. Oak Gum under.  
 Dogw. Iron. W. & B. Oak & 3<sup>d</sup> rate

## West Corrected between Sec. 2 &amp; 11, T9 N R4 E.

- 33.64 a Beech 14 in. dia. in the line
- 39.86 Set q. Sec. post, at average dist. from which  
 a Beech 15 in. dia. bears West 20 lks. dist. &  
 a W. Oak 14 " " " S 55 E 19 " "
- 79.72 to Section Corner

## North Between Sec. 2 &amp; 3, T9 N R4 E.

- 40.00 Set the q. Sec. post, from which  
 a Hickory 20 in. dia. bears S 84 E 44 1/2 lks. dist. &  
 a Dogwood 6 " " " N 51 W 46 " "
- 60.40 a B. Oak 24 " " in the line
- 82.27 Intersected the N. boundary 1.50 lks. East of post  
 Set a post Cor. to Sec. 2 & 3, from which  
 a Poplar 24 in. dia. bears S 58 E 12 lks. dist. &  
 a Sugar 10 " " " N 76 W 24 1/2 " "

# Sg N R4 E. 2<sup>nd</sup> Mer. Indiana

Land first 1/2 mile Hilly Stony and poor last Rolling  
timber W. Oak Beech Sugar Ash Poplar & Gum Open  
wood 2<sup>nd</sup> Rate - Sept. 9<sup>th</sup> 1819

North Between Secs. 33 & 34, Sg N. R4 E.  
40.00 Set the q. Sec. post, from which  
a Hickory 18 in. dia. bears N 22 E 12 lks. dist. &  
a Dogwood 4 " " " S 1 W 14 " "  
49.20 a Beech 14 " " in the line  
80.00 Set the post Cor. to Sec. post 27, 28, 33 & 34, from which  
a Ck. Oak 18 in. dia. bears N 39 W 18 lks. dist. &  
a Do 15 " " " S 49 E 16 " "  
Land very Hilly Steep and Stony broken thickety the whole  
Mile poor 3<sup>rd</sup> rate timber b. W. Oak undergrowth B. Sack  
Hickory Grape vines & Green briars -

East On Pradon between Secs. 27 & 34, Sg N. R4 E.  
40.00 Set temp. q. Sec. post  
80.00 Intersected the N. & S. line 50 lks. south of post  
Land Rolling some Steep gullies - timber W. C. Oak Hickory  
Gum &c. and P. Hog P. Iron P. W. & B. Oak Green briar 3<sup>rd</sup> rate

West Corrected between Secs. 27 & 34, Sg N. R4 E.  
40.00 Set q. Sec. post at average dist. from which  
a W. Oak 12 in. dia. bears N 71 W 10 lks. dist. &  
a Do 14 " " " S 50 E 24 " "  
80.00 To Section Corner

North Between Secs. 27 & 28, Sg N. R4 E.  
26.20 a W. Oak 18 in. dia. in the line  
40.00 Set the q. Sec. post, from which  
a C. Oak 18 in. dia. bears N 50 W 36 lks. dist. &  
a B. Oak 10 " " " S 30 E 29 " "  
47.70 a Poplar 24 " " in the line  
80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which  
a C. Oak 18 in. dia. bears N 36 W 28 lks. dist.



# Sgt R4E, T. Mer. Indiana

a W. Oak 14 in. dia. bears S44 1/2 E 25 lks. dist.  
Land very broken poor and stony steep gully Sharp  
Bridges - timber behus. W. Oak under? Dog? B. Jack  
Sassafras W. Oak Hickory and green briars 3. rate

East On Random between Sec. 22 & 27, T9 N, R4 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 3 lks. South of post  
Land Hilly stony and poor timber c. W. & B. Oak Gum  
Beech &c. under? Dog? Iron? B. Jack W. Green briars 3. rate

West Corrected between Sec. 22 & 27, T9 N, R4 E.

11.02 Beech 15 in. dia. in. the line

40.00 Set q. Sec. post at average dist. from which  
a Beech 10 in. dia. bears S19 E 32 lks. dist. &  
a Gum 10 " " " N7 E 12 " "

80.00 To Section Corner

North Between Sec. 21 & 22, T9 N, R4 E.

40.00 Set the q. Sec. post, from which

a Beech 12 in. dia. bears N17 W 28 lks. dist. &

a No 14 " " " S30 E 27 " "

44.26 a W. Oak 14 " " in the line

64.08 a No 16 " " " " "

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Hickory 10 in. dia. bears S50 1/2 W 2 lks. dist. &  
a No 9 " " " N27 1/2 W 8 " "

Land broken steep gullies poor and stony - timber  
W. c. Oak, Gum Hickory Beech Iron? jungr?

Dog? Sassafras W. Oak Beech B. Oak B. Jack 3. rate

East On Random between Sec. 15 & 22, T9 N, R4 E.

40.00 Set temp. q. Sec. post.

79.82 Intersected the N. & S. line 39 lks. N. of post

Land rolling thickety and poor - timber W. c. Oak  
Hickory Gum & some Beech undergrowth Iron?



T9 N R4 E 2<sup>d</sup> Mer. Indiana

Log? W. B. Oak Sassafras & Green briars 3<sup>d</sup> rate —

West Corrected between Sec. 15 & 22, T9 N R4 E.  
 3.46 a W. Oak 14 in. dia. in the line  
 39.91 Set of Sec. post. at average dist. from which  
 a W. Oak 18 in. dia. bears S 75 E 19 lks. dist. &  
 a Dogwood 4 " " " S 50 W 20 " "  
 79.82 to Section Corner Sept. 10<sup>th</sup> 1819

North Between Sec. 15 & 16, T9 N R4 E.  
 11.50 a Creek 10 lks. wide Course N. 40 E.  
 40.00 Set the of Sec. post. from which  
 a W. Oak 6 in. dia. bears S 15 W 18 lks. dist. &  
 a Hickory 14 " " " N 83 E 14 1/2 " "  
 79.00 a W. Oak 14 in. dia. in the line  
 80.00 Set a post Cor to Sec. 9, 10, 15 & 16, from which  
 a W. Oak 18 in. dia. bears N 36 W 23 lks. dist. &  
 a Do 14 " " " S 61 1/2 E 44 " "  
 Land Hilly and poor — timber W. & B. Oak Hickory.  
 Beech & undergrowth Sassafras Log? Hickory 3<sup>d</sup> rate

East On Random between Sec. 10 & 15, T9 N R4 E.  
 9.00 a Creek 10 lks. wide Course N.  
 40.00 Set temp? of Sec. post.  
 79.86 Intersected the N. & S. line 70 lks. South of post  
 Land Hilly and thickety timber as before

West Corrected between Sec. 10 & 15, T9 N R4 E.  
 14.36 a poplar 24 in. dia. in the line  
 39.93 Set of Sec. post. at average dist. from which  
 a Beech 12 in. dia. bears N 62 W 5 lks. dist. &  
 a B. Oak 12 " " " S 89 E 30 " "  
 79.86 to Section Corner

North Between Sec. 9 & 10, T9 N R4 E.  
 22.40 a B. Oak 26 in. dia. in the line

T9 N R4 E, 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Sugar 4 in. dia. bears S 65 $\frac{1}{2}$  W 2 lks. dist. &  
 a Do 15 " " " N 46 E 17 " "
- 44.00 a Creek 15 lks. wide Course N 20 W
- 90.00 Set a post Cor. to Sec<sup>s</sup>. 3, 4, 9, & 10, from which  
 a Beech 10 in. dia. bears S 67 $\frac{1}{2}$  W 19 lks. dist. &  
 a Sugar 9 " " " S 50 E 3 $\frac{1}{2}$  " "  
 Land broken in to huge ridges & deep gulfs - timber  
 Beech W. C. Oak Sugar Poplar Gum &c. undergrowth  
 Ironwood Dog. green briars 3<sup>d</sup>. Mate

- East On Random between Sec<sup>s</sup>. 3, & 10, T9 N. R4 E,  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.80 Intersected the N. & E. line, 78 lks. South of post  
 Land High some pretty good timber Beech Poplar  
 W. Oak P. Oak Beech Hick<sup>y</sup>. una<sup>th</sup>. Dog. Iron?  
 first  $\frac{1}{2}$  Mile 2<sup>d</sup>. rate last 3<sup>d</sup>. rate

- West Corrected between Sec<sup>s</sup>. 3, & 10, T9 N. R4 E.  
 17.78 a W. Oak 15 in. dia. in the line  
 39.90 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a W. Oak 12 in. dia. bears S 59. E 13 lks. dist. &  
 a Dogwood 6 " " " S 89 W 24 " "  
 79.80 to Section Corner

- North Between Sec<sup>s</sup>. 3 & 4, T9 N R4 E.  
 20.28 a Hick<sup>y</sup>. 18 in. dia. in the line  
 36.50 a Creek 5 lks. wide Course West  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. bears N 53 E 36 lks. dist. &  
 a Do 12 " " " S 1 $\frac{1}{2}$  E 17 " "  
 69.50 a Creek 15 lks. wide Course West  
 82.40 Intersected the N. boundary 2.78 lks. East of post  
 Set a post Cor. to Sec<sup>s</sup>. 3 & 4, from which  
 a Beech 14 in. dia. bears N 77 W 9 lks. dist. &  
 a Do 9 " " " S 68 E 21 " "

# Sg N R4 E. 2<sup>nd</sup> Mer. Indiana

Land Brough & Rocky Hills, deep gulfs &c. timber Beech  
Poplar W. Oak Gum Sugar, underg<sup>th</sup> Iron? Dog? 3<sup>rd</sup> rate

North Between Sec<sup>s</sup>. 32 & 33, Sg N R4 E.  
42.00 a W. Oak 24 in. dia. in the line  
40.00 Set the q. Sec. post, from which  
a W. Oak 18 in. dia. bears N 57 E 8 lks. dist. &  
a Hickory 18 " " " S 76 W 55 " "  
53.30 a P. Oak 18 " " in the line  
67.50 a Creek 15 lks. wide Course S. 60 W.  
80.00 Set a post Cor. to Sec<sup>s</sup>. 28, 29, 32 & 33, from which  
a W. Oak 14 in. dia. bears N 67 E 15 lks. dist. &  
a D<sup>o</sup> 12 " " " S 53 W 30 " "  
Land some broken - timber W. & P. Oak Beech Hick<sup>y</sup>. Gum  
underg<sup>th</sup> Dog? Iron? Sassafras. 3<sup>rd</sup> rate. Sept. 11<sup>th</sup>. 1819

East On Pradon between Sec<sup>s</sup>. 28 & 33, Sg N R4 E.  
15.50 a Creek 10 lks. wide Course South  
40.00 Set temp<sup>y</sup>. q. Sec. post  
80.40 Intersected the N. & S. line 16 lks. South of post  
Land timber &c. as on the last Mile

West Corrected between Sec<sup>s</sup>. 28 & 33, Sg N R4 E.  
40.20 Set q. Sec. post at average dist. from which  
a W. Oak 12 in. dia. bears N 34 E 45 lks. dist. &  
a B. Oak 24 " " " South 12 " "  
80.40 To Section Corner

North Between Sec<sup>s</sup>. 28 & 29, Sg N R4 E.  
10.30 a W. Oak 18 in. dia. in the line  
40.00 Set the q. Sec. post, from which  
a W. Oak 18 in. dia. bears S 61 W 24 lks. dist.  
no other tree near "  
63.35 a W. Oak 14 in. dia. in the line  
80.00 Set a post Cor. to Sec<sup>s</sup>. 20, 21, 28, & 29, from which  
a W. Oak 12 in. dia. bears N 56 E 25 lks. dist. &

# Sq N R 4 E. 2<sup>d</sup>. Mer. Indiana

a Hickory 10 in. dia. bears S 38 W 22 lks. dist.  
Land very hilly thickets of Iron. Sassafras grapevines  
Hc. 3<sup>d</sup>. rate

East On Random between Sec. 21 & 28, Sq N R 4 E.

40.00 Set temp. q. Sec. post

80.42 Intersected the N. & S. line 40 lks. N. of post  
Land Hilly and thickets for one mile of Iron. Sassafras  
Dog. grape Hc. greenbrier 3<sup>d</sup>. rate timber both W. Oak -

West Corrected between Sec. 21 & 28, Sq N R 4 E.

40.21 Set q. Sec. post at average dist. from which  
a W. Oak 18 in. dia. bears N 37 W 10 lks. dist. &  
a Poplar 12 " " " S 30 E 16 " "

80.42 To Section Corner

North Between Sec. 20 & 21, Sq N R 4 E.

22.00 a W. Oak 14 in. dia. bears in the line

38.50 a Creek 20 lks. wide Course West

40.00 Set the q. Sec. post from which  
a Sassafras 9 in. dia. bears S 44 W 14 lks. dist. &  
a Dogwood 6 " " " North 23 " "

80.00 Set a post Corner to Sec. 16, 17, 20, & 21, from which  
a W. Oak 12 in. dia. bears N 16 E 11 lks. dist. &  
a Do 20 " " " S 34 W 30 " "

Land very broken and deadfull thickets of Iron?  
Dog. Sassafras grape & Green brier 3<sup>d</sup>. rate

East On Random between Sec. 16 & 21, Sq N R 4 E.

40.00 Set temp. q. Sec. post.

80.08 Intersected the N. & S. line 30 lks. N. of post  
Land Hilly timber W. Oak B. Oak Hickory Beech Gum Hc.  
undergrowth Dog. Iron. Sassafras Hc. 3<sup>d</sup>. rate

West Corrected between Sec. 16 & 21, Sq N R 4 E.

40.08 Set q. Sec. post at average dist. from which

# Sg. N. R. 4 E. 2<sup>d</sup>. Mer. Indiana

a Beech 15 in. dia. bears N 32 W 17 lks. dist. 4  
 a Do 14 " " " N 19 E 25 " "  
 80.08 to Sec. Corner Sept. 12<sup>th</sup> 1819

## North Between Secs. 16 & 17, Sg. N. R. 4 E.

11.45 a B. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. dia. bears S 7 W 32 lks. dist. 4  
 a Do 18 " " " N 40 W 32 " "

59.14 a W. Oak 18 " " in the line

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which  
 a W. Oak 30 in. dia. bears S 73 W 36 lks. dist. 4  
 a Beech 15 " " " S 78 E 21 " "

Land Hilby and poor - timber W. Oak Beech C. Oak Gum  
 some poplar, undergrowth Iron? Dog? W. Oak Sassafras 3 rods

## East On Random between Secs. 9 & 16, Sg. N. R. 4 E.

40.00 Set temp. q. Sec. post

80.18 Intersected the N. & S. line 18 lks. South of post  
 Land Hilby - timber the same as on the last mile

## West Corrected between Secs. 9 & 16, Sg. N. R. 4 E.

11.16 a Gum 18 in. dia. in the line

40.09 Set q. Sec. post at average dist. from which  
 a Beech 3 in. dia. bears S 21 E 16 lks. dist. 4  
 a W. Oak 10 " " " N 7 E 21 " "

80.18 To Section Corner

## North Between Secs. 8 & 9, Sg. N. R. 4 E.

11.20 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post, from which  
 a Gum 20 in. dia. bears N 29 W 13 lks. dist. 4  
 a Beech 10 " " " S 9 E 36 " "

76.75 a Beech 15 " " in the line

80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which  
 a W. Oak 24 in. dia. bears S 13 E 28 lks. dist. 4



# Sq N R 4 E 2. Mer. Indiana

a B. Oak 24 in. dia'. bears N 15 W 46 chs. dist.  
 Land Hilly steep and High timber W. B. H. B. Oak Gum  
 Beech Hick'y. underg't. B. Sack W. Oak Sassafras  
 Iron. Log. &c. 3<sup>d</sup> rate -

East On Random between Sec. 4 & 9, Sq N. R 4 E.

20 . 00 a Creek 10 chs. wide Course North

27 . 50 a Do 20 " " " N. 20 W.

40 . 00 Set temp'y. q't. Sec. post

50 . 35 Intersected the N. & S. line 25 chs. South of post

Land Rough and Hilly - timber W. & B. Oak. Beech Poplar  
 Gum &c. underg't. Iron. Log. W. Oak B. Sack poor 3<sup>d</sup> rate -

West Corrected between Sec. 4 & 9, Sq N. R 4 E.

10 . 24 a Gum 18 in dia'. in the line

40 . 17 1/2 Set q't. Sec. post, at average dist. from which  
 a W. Oak 18 in. dia'. bears N 58 E 27 chs. dist. &  
 a Do 16 " " " S 53 W 46 " "

80 . 35 To Section Corner

North Between Sec. 4 & 5, Sq N. R 4 E.

38 . 00 a Creek 50 chs. wide Course West

40 . 00 Set the q't. Sec. post, from which  
 a Sugar 18 in. dia'. bears N 31 W 50 chs. dist. &  
 an Elm 12 " " " S 16 E 28 " "

40 . 50 a Creek 40 chs. wide Course S 45 W

73 . 00 a W. Oak 18 in. dia'. in the line

82 . 47 Intersected the N. boundary 2.78 chs. E. of post  
 Set a post Cor. to Sec. 4 & 5, from which  
 a Beech 12 in. dia'. bears S 45 W 6 chs. dist. &  
 a Do 10 " " " N 63 E 18 " "  
 Land and timber as on the last Mile

North Between Sec. 31 & 32, Sq N. R 4 E.

25 . 46 a W. Oak 14 in. dia'. in the line

40 . 00 Set the q't. Sec. post, from which

# Sgt. R. E. D. Mer. Indiana

	a W. Oak 24 in. dia'. bear North 20 lks dist. No other timber near
58.80	a Creek 18 lks. wide Course West-
80.00	Set a post Corner To Sec. 29, 30, 31 & 32, from which a W. Oak 14 in. dia'. bears S 73 E 2 lks. dist. & a Do 18 " " " S 71 W 43 " "
	Land Hilly very high and steep - timber W. B. & C. Oak underg <sup>d</sup> . Sassafras B. Hack Grape vines & Green briar.
East	On Random between Sec. 29 & 32, S 9 N. R 4 E.
40.00	Set temp <sup>y</sup> . q <sup>d</sup> . Sec. post.
80.30	Intersected the N. & S. line 67 lks. South of post - Land Hilly and thickly timbered with W. B. & C. Oak underg <sup>d</sup> . Sassafras Dog <sup>d</sup> . B. Hack 3 <sup>d</sup> . rate
West	Corrected between Sec. 29 & 32, S 9 N. R 4 E.
40.15	Set q <sup>d</sup> . Sec. post at average dist. from which a B. Oak 10 in. dia'. bear N 58 E 15 lks. dist. & a Beech 9 " " " S 59 W 26 " "
80.30	To Section Corner
West	Between Sec. 30 & 31, S 9 N. R 4 E.
17.60	a W. Oak 18 in. dia'. in the line
40.00	Set the q <sup>d</sup> . Sec. post, from which a Sugar 14 in. dia'. bears S 47 W 23 lks. dist. & a Do 12 " " " S 34 W 23 " "
48.50	a Creek 20 lks. wide Course N. 80 W.
76.50	Intersected the W. boundary 80 lks. N. of post. Set a post Corner To Sec. 30 & 31, from which a Hickory 12 in. dia'. bears N 72 E 26 lks. dist. & a Do 14 " " " S 34 W 4 " "
	Land very High Hilly and steep thickly timbered W. B. C. Oak Gum Hick <sup>y</sup> . Poplar & unag <sup>d</sup> . W. Oak Sassafras Hick <sup>y</sup> . Dog <sup>d</sup> . Snow <sup>d</sup> . &c.
North	Between Sec. 29 & 30, S 9 N. R 4 E.
38.75	a W. Oak 12 in. dia'. in the line

# Sq. N. R. 4 E. T. Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
a Hickory 8 in. dia. bears N 65 W 12 1/2 lbs. dist. 4  
a B. Oak 4 " " " S 60 E 4 " "
- 57.26 a W. Oak 14 " " in the line
- 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30. from which  
a B. Oak 14 in. dia. bears S 7 W 19 1/2 lbs. dist. 4  
a Dog? 6 " " " N 16 W 23 " "
- Land Hilly very thickly timber W. B. & B. Oak Hickory  
Gum undergrowth Red bud Dog? Iron? Sassafras green  
briar 3. rate — this day it rained —

- East On Prudence between Sec. 20 & 29, Sq. N. R. 4 E.
- 40.00 Set temp. q. Sec. post
- 80.00 Intersected the N. & S. line 50 lbs. S. of post  
Land timber und. fr. the same as on the last mile

- West Corrected between Sec. 20 & 29, Sq. N. R. 4 E.
- 40.00 Set q. Sec. post at average dist. from which  
a Hickory 12 in. dia. bears N 6 E 20 lbs. dist. 4  
a Dog 3 " " " S 21 W 4 " "
- 80.00 To Section Corner

- West Between Sec. 19 & 30, Sq. N. R. 4 E. Sept. 14<sup>th</sup> 1819
- 39.78 a B. Oak 24 in. dia. in the line
- 40.00 Set the q. Sec. post, from which  
a B. Oak 14 in. dia. bears N 53 W 49 lbs. dist. 4  
a W. Oak 20 " " " S 46 E 13 " "
- 76.65 Intersected the N. boundary 63 lbs. N. of post  
Set a post Cor. to Sec. 19 & 30, from which  
a Poplar 12 in. dia. bears N 83 W 31 lbs. dist. 4  
a Ironwood 6 " " " N 85 E 15 " "
- Land Hilly steep and high very thickly timber, W. & B. Oak  
Poplar Sugar Gum &c. undergrowth Iron? Dog? Sassafras 3. rate

- North Between Sec. 19 & 20, Sq. N. R. 4 E.
- 18.00 a Creek 20 lbs. wide course S. 40 W.

comp.

# T9 N R4 E 2<sup>d</sup> Mer. Indiana

24 .90 a W. Oak 24 in. dia. in the line  
 40 .00 Set the q. Sec. post, from which  
 a Beech 4 in. dia. bears N 86 E 26 chs. dist. 4  
 a Hickory 14 " " " N 83 W 45 " "  
 70 .45 a Gum 14 " " in the line  
 80 .00 Set a post Corner to Sec. 17, 18, 19 & 20, from which  
 a W. Oak 15 in. dia. bears N 2 1/2 E 32 chs. dist. 4  
 a Hickory 9 " " " S 18 W 11 " "  
 Land Hilly broken and poor - timber W. Oak B. Oak Hickory.  
 Gum Yc. ung? Sassafras Iron? Dog? Yc.

East On Random between Sec. 17 & 20, T9 N R4 E  
 40 .00 Set temp? q. Sec. post  
 80 .24 Intersected the N. & S. line 64 chs. North of post  
 Land rough and hilly - timber W. Oak Gum Hickory.  
 undergrowth Iron? Dog? W. Oak B. Oak Yc. 3<sup>d</sup> rate -

West Corrected between Sec. 17 & 20, T9 N R4 E.  
 40 .12 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 11 E 23 chs. dist. 4  
 a Maple 12 " " " S 53 E 15 " "  
 80 .24 to Section Corner -

West Between Sec. 18 & 19, T9 N R4 E.  
 10 .00 a Creek 15 chs. wide Course S 40 W.  
 15 .50 a Poplar 48 in. dia. in the line  
 40 .00 Set the q. Sec. post, from which  
 a Beech 4 in. dia. bears N 10 E 12 chs. dist. 4  
 a Do 10 " " " S 11 W 23 " "  
 57 .46 a W. Oak 20 " " in the line  
 76 .74 Intersected the West boundary 35 chs. North of post  
 Set a post Cor. to Sec. 18 & 19, from which  
 a Hickory 10 in. dia. bears N 29 E 28 chs. dist. 4  
 a Do 14 " " " S 22 E 32 " "  
 Land Hilly and thickly timbered W. Oak Hickory, Beech  
 underg? Iron? Dog? W. & B. Oak & Green briars



# Sgt. R. E. D. Mer. Indiana

North Between Secs. 17 & 18, T9 N. R. 4 E.  
 10.00 a Creek 15 lks. wide Course S40 E.  
 31.50 a W. Oak 14 in. dia. in the line  
 40.00 Set the qf. Sec. post from which  
 a Ironwood 6 in. dia. bears S54W17 lks. dist. &  
 a Poplar 24 " " " N79E25 " "  
 56.00 a W. Oak 26 " " in the line  
 80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which  
 a Hickory 10 in. dia. bears S31W18 lks. dist. &  
 a Beech 14 " " " N18E23 " "  
 Land broken & hilly deep gulps - timber W. B. Oak  
 Butk Gum & Hickory undergrowth Dog. Iron. W. Oak  
 Sasapara. & grape vines &c. 3<sup>d</sup> rate -

East On Random between Secs. 8 & 17, T9 N. R. 4 E.  
 40.00 Set temp. qf. Sec. post  
 80.40 Intersected the N. & S. line 65 lks. North of post  
 Land timber &c. as on the last mile. Sept. 15

West Corrected between Secs. 8 & 17, T9 N. R. 4 E.  
 40.20 Set qf. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears N54W38 lks. dist. &  
 a Gum 10 " " " S32E15 " "  
 80.40 to Section Corner

West Between Secs. 7 & 18, T9 N. R. 4 E.  
 20.58 a W. Oak 18 in. dia. in the line  
 40.00 Set the qf. Sec. post, from which  
 a Gum 14 in. dia. bears S16E7 lks. dist. &  
 a Beech 6 " " " N28W22 " "  
 60.17 a B. Oak 20 " " in the line  
 76.88 Intersected the W. boundary 15 lks. North of post  
 Set a post Cor. to Secs. 7 & 18, from which  
 a Beech 14 in. dia. bears S69W21 lks. dist. &  
 a B. 12 " " " N24E22 " "  
 Land Hilly all the way - timber W. & B. Oak. Hickory

T9 N R4 E 2<sup>nd</sup> Mer. Indiana

Gum Beech &c. undergrowth W. Oak Hickory Iron? Dog? 3<sup>rd</sup> rate -

North Between Sec.<sup>s</sup> 7 & 8, T9 N, R4 E.  
 26.90 a B. Oak 26 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post from which  
 a Beech 15 in. dia. bears North 23. lks. dist. &  
 a No 6 " " " S 60 E 1 " "  
 30.00 Set a post Cor. to Sec.<sup>s</sup> 5, 6, 7 & 8, from which  
 a Beech 10 in. dia. bears N 8 W 14 lks. dist. &  
 a No 10 " " " S 38 E 12 " "  
 Land High & Hilly timber W. C. & B. Oak Gum Beech &c.  
 undergrowth Iron? Dog? W. Oak Beech &c. 3<sup>rd</sup> rate

East On Random between Sec.<sup>s</sup> 5 & 8, T9 N, R4 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 30.38 Intersected the N. & South line 25 lks. N. of post.  
 Land broken steep gulps almost impossible timber  
 W. B. Oak Beech Gum & undergrowth Sassafras Greenbrier &c

West Corrected between Sec.<sup>s</sup> 5 & 8, T9 N, R4 E.  
 40.19 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Hickory 12 in. dia. bears N 77 E 21 lks. dist. &  
 a Beech 6 " " " S 56 W 10 " "  
 30.38 to Section Corner

West Between Sec.<sup>s</sup> 6 & 7, T9 N, R4 E.  
 18.30 a B. Oak 18 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a W. Oak 20 in. dia. bears N 23 W 19 lks. dist. &  
 a No 24 " " " S 55 E 23 " "  
 77.14 Intersected the W. boundary 62 lks. South of post  
 Set a post Cor. to Sec.<sup>s</sup> 6 & 7, from which  
 a Gum 14 in. dia. bears N 40 E 8 lks. dist. &  
 a Dog? 4 " " " S 8 W 21 " "  
 Land High Hilly and steep timber W. Oak Hickory  
 W. Oak B. Oak Beech undergrowth Dogwood

T<sup>9</sup>N - R<sup>4</sup>E. T<sup>2</sup>. Mer. IndianaIronwood W. Oak &c. 3<sup>d</sup>. rate -North Between Sec<sup>s</sup>. 5 & 6. T<sup>9</sup>N. R<sup>4</sup>E.

40.00 Set the q<sup>r</sup>. Sec. post from which  
 a Sugar 12 in dia<sup>r</sup>. bears S 8<sup>1</sup>: E 53 lks. dist. 4  
 a Beech 4 " " " N 50 E 15 " "

82.52 Intersected the North boundary 3.06 lks. East of post  
 Set a post Cor. to Sec<sup>s</sup>. 5 & 6. from which  
 a Sugar 15 in dia<sup>r</sup>. bears N 59 E 29 lks. dist. 4  
 a Beech 12 " " " S 41 W 18 " "

Sand Prough Stony high hills and steep gulfs - timber  
 W. & B. Oak Gum &c. undergrowth Dog. Iron. 3<sup>d</sup>. rate

---

Surveyed by A. M. Looker, Deputy Surveyor

End of vol. IV.

Comp<sup>d</sup>.

I Certify that the foregoing transcript of field notes of  
 Township N<sup>o</sup> 9 North, Range N<sup>o</sup> 4 E. T<sup>2</sup>. Mer. Indiana has  
 been Compared with the original notes in this Office and  
 found to be Correct.

Surveyor General's Office  
 Cincinnati, July 26<sup>th</sup> 1844

W. H. Rains  
 Sur. Genl.